


Visit bootbutler.com/assembly for video instructions.

You are going to be assembling five identical Boot Hangers, plus the Stand they hang from.

Please don't be overwhelmed by the number of parts. If you follow the instructions carefully, assembly is easy and should take no more than 10 or 15 minutes. Lets get started.


Remove the parts in an open space and select the following Hanger Parts...

Make sure the package contains the following parts. (Please contact us if something is missing/damaged.)




Assemble the 5 “Hangers” ... then set them aside



STEP 1: Attach a HOOK to each of the LEGS



STEP 2: Attach the FEET to the LEGS of the HANGERS




Now for the Stand Parts...




Assemble the Stand...


STEP 1: Hand tighten all five T-RODS together to form the T-ROD ASSEMBLY



STEP 2: Hand thread the T-ROD ASSEMBLY into the RISER exactly 4 full turns (NO MORE)



STEP 3: Feed the LONG TUBE over the T-RODS and press firmly into the RISER




Questions? Comments?

Call or Text 1-484-548-0486 or
Email support@bootbutler.com

Stand Assembly Continued...


STEP 4: Feed a COUPLER over the T-RODS and press **firmly** onto the LONG TUBE.

IMPORTANT: All COUPLERS must be installed with:
- the BOWTIE up; and,
- the BOWTIE facing the same side as the BOWTIE on the RISER.




STEP 5: Repeat STEP 4 with the SHORT TUBES and remaining COUPLERS.


IMPORTANT: Use your weight to push down on the parts, making sure that there is no space between them.



STEP 6: Insert the PLUG into the top COUPLER.




STEP 7: Thread the SCREW w/ WASHER into the top T-ROD. (Be careful to ensure the screw goes in straight.)



IMPORTANT: If the top T-ROD is not visible (like shown), make sure you followed STEP 2 and push down on the parts with your weight, to ensure there is no space between them.

STEP 8: Use the WRENCH to tighten the SCREW until you begin to feel resistance, then add about 2 full turns. You'll know it's tight enough when the post feels rigid/sturdy. Keep tightening the screw, a little at a time, until it feels sturdy.

DO NOT OVER-TIGHTEN! Too much force will cause damage.




USING YOUR BOOT BUTLER SOLO (MODEL# BB201-...)


Please visit bootbutler.com/assembly for helpful videos on how to assemble and use your Boot Butler.

Using your Boot Butler with the boot toes facing AWAY from you...


STEP 1: Take a HANGER in your dominant hand and a pair of boots side-by-side in your non-dominant hand...



STEP 2: Guide the FEET of the HANGER into both boots at once and when they reach the bottom of the boots, raise the HANGER, scooping the boots up such that they are securely suspended on the hanger. (this will become second nature with a bit of practice)



STEP 3: Now hang the HANGER so that the boots are straddling the STAND.




TIPS & TRICKS

- When you first scoop up a pair of boots, give the hanger a little shake to even the boots up on the hanger.
- To provide extra clearance when inserting or removing a hanger with boots from the stand, pull down slightly on the hanger above the one you're accessing. Try it and you'll see what I mean...

Using your Boot Butler with the boot toes facing TOWARDS you...

With the boots facing towards you, access your boots by simply sliding them on/off the HANGERS. (i.e. the HANGERS remain in place)



TIPS & TRICKS

- Put boots on/off the hangers one boot at a time. Doing both boots at once may dislodge the hanger.
- As you insert or remove a boot, hold the opposite side of the hanger with your other hand and slightly tilt the hanger up. This helps the boots to more easily slide on/off the hanger.

Now go hang up your boots!...

Questions? Comments?

Call or text 1-484-548-0486 or email support@bootbutler.com

Page 4 of 4